

SECTION 2 INDEX

The number in brackets indicates page number the product is on

Chicago Lock

Filing Cabinet Locks [2]

Sliding Door Locks [2]

Bolt Type Locks [2]

ESP Lock Products

Ratchet Lock [3]

Fort Lock

Showcase Locks [3]

Multilock

Swing Away File Bars [4]

National Cabinet Lock

Pin Tumbler & Drawer Locks [4-5]

Cam Locks [6]

SRS Sales Co.

Filing Cabinet Lock Kits [7]

Olympus Lock

IC Core Cabinet Locks [8]

National Keyway Cabinet Locks [8]

700 Schlage & Less Cylinder Locks [8]

CCL "R1" Keyway Cabinet Locks [8]

Fairway

DALLAS • HOUSTON • AUSTIN • NASHVILLE

THE SECURITY PROFESSIONAL SUPPLIER


CABINET LOCKS

2 - 2




FILING CABINET LOCKS


CHI EXP19KA5X75	Insulated File Cab Lock Keyed 5X75
CHI EXP19KD	Insulated File Cab Lock Keyed Different
CHI 5001KA1X20	File Cab Lock Round Bolt 1-3/4" Keyed 1X20
CHI 5001KA3X5	File Cab Lock Round Bolt 1-3/4" Keyed 3X5
CHI 5001KD	File Cab Lock Round Bolt 1-3/4" Keyed Different
CHI 5001-50KA1X20	File Cab Lock Round Bolt 1-3/4" Keyed 1X20
CHI 5001-50KD	File Cab Lock Round Bolt 1-3/4" Keyed Different
CHI 5002KA1X20	File Cab Lock Square Bolt 2" Keyed 1X20
CHI 5002KA3X5	File Cab Lock Square Bolt 2" Keyed 3X5
CHI 5002KD	File Cab Lock Square Bolt 2" Keyed Different




5001/5002




EXP19



1770/1773/1775



1974/1975



1968

SINGLE BITTED SLIDING DOOR LOCK

CHI 1770KA1289	Push Lock Springbolt Plunger Keyed 1289
CHI 1770KD	Push Lock Springbolt Plunger Keyed Different
CHI 1773KD	Cam Lock Narrow Style Keyed Different
CHI 1775KA1289	Push Lock T-Type Plunger Keyed 1289


BOLT TYPE LOCKS

CHI 1968KA1289	Drawer Lock Keyed 1289
CHI 1968KD	Drawer Lock Keyed Different
CHI 1974 KA1289	Metal Desk Lock 19/32 Keyed 1289
CHI 1974KD	Metal Desk Lock 19/32 Keyed Different
CHI 1975KA1289	Metal Desk Lock 21/32 Keyed 1289
CHI 1975KD	Metal Desk Lock 21/32 Keyed Different



15RL RATCHET LOCK PACKAGE

The **15RL Universal Package** includes one lock, one 8RL and one 7RL ratchet bar per box. The **8RL** is an adjustable clamp on ratchet bar enabling lock to be used on doors up to 11/16" thick. Can be used on glass, wood or metal doors. The **7RL** is ideal security for all sliding glass doors, bookcases, display cases, etc. For doors up to 1/4" thick. Operation: To lock, slide ratchet bar through lock. To unlock, turn key 90° and remove ratchet bar from lock. Available keyed alike and keyed different — two brass keys furnished with each lock.



ESP 15RL201	Ratchet Lock/2 Bars, Keyed 201
ESP 15RL202	Ratchet Lock/2 Bars, Keyed 202
ESP 15RL203	Ratchet Lock/2 Bars, Keyed 203
ESP 15RLKD	Ratchet Lock/2 Bars, Keyed Different

FORT LOCK

MFWSG9000 Series Showcase Locks



- Provided with two locking bars (one adjustable bar for wood, and one adjustable bar for glass).
- Exclusive floating wafer tumblers provides more resistance to picking.
- Promotes repeat business from key duplication.

Uses Fort-S900
Key blank Order
310-5901

FTL MFWSG9000-KA

FTL MFWSG9000-KD

MULTI-FUNCTION REKEYABLE

For current pricing, call your Fairway Representative today!


Dallas 800.776.3247 • Houston 800.767.3247 • Austin 877.309.6300 • Nashville 800.815.3247

MULTI LOCK

Swing-Away File Bars


- › Locks at every drawer.
- › Multi-point locking design.
- › Spring open action.
- › No storage problems.
- › Simple installation.

MUL ML1	One Drawer Swing Away, 10.5" Long
MUL ML2	Two Drawer Swing Away, 22" Long
MUL ML3	Three Drawer Swing Away, 34.5" Long
MUL ML4	Four Drawer Swing Away, 46" Long
MUL ML5	Five Drawer Swing Away, 58" Long



Disc Tumbler Door & Drawer Locks

Surface mounted. Requires 7/8" diameter hole for cylinder. Key removable in both locked and unlocked positions. Supplied with two keys and mounting screws. C8706 supplied with strike.




NAT C8803 Drawer Lock

Application - For drawers. Surface mounted, requires 7/8" dia. hole for cylinder.

Operation - Key removable in both locked and unlocked positions. Cylinder length: 15/16". With two keys (D8785) and mounting screw.

Finish Keying

3	KA
3	KD
4G	KA
4G	KD
14A	KA
14A	KD






Pin Tumbler Door & Drawer Locks

Uses D4291 Keyblank. Key removable in both locked and unlocked positions.

Spring Bolt Door Lock

Pin Tumbler Cylinder length: 3/4"

NAT C8139-26D KA 915
NAT C8139-26D KD



7/8" Cylinder Length

Deadbolt Door Lock

NAT C8173-4 KA 915
NAT C8173-4 KD
NAT C8173-4G KA 915
NAT C8173-4G KD
NAT C8173-26D KA 915



DOOR LOCK

1 1/8" Cylinder Length


Deadbolt Door Lock

NAT C8174-26D KA
NAT C8174-26D KD

7/8" Cylinder Length

Deadbolt Drawer Lock

NAT C8178-4 KA915
NAT C8178-4 KD
NAT C8178-26D KA915



DRAWER LOCK

1 1/8" Cylinder Length

Deadbolt Drawer Lock

NAT C8179-26D KA 101
NAT C8179-26D KD

Pin Tumbler Metal Drawer Lock

For center drawers of metal desks. Fits special piercing of drawer front and seldedge. Key removable in both locked and unlocked positions. Uses D4291 keyblank. Supplied with two keys and mounting nut. 19/32" Cylinder Length. 7/16" Bolt Travel. 1/4" max material thickness.

Bolt throw: 7/16"

NAT C8137-26D KA 915
NAT C8137-26D KD



C8137

For drawers, Half moritise type requires mortise for housing and 7/8" diameter hole for cylinder. Key removable in locked and unlocked positions except C8131. D4291 keyblank. Supplied with two keys, strike and mounting screws.

Spring Bolt

NAT C8131-4 KA 915
NAT C8131-4 KD
NAT C8131-26D KA 915
NAT C8131-26D KD



Dead Bolt

NAT C8133-4 KA 915
NAT C8133-4 KD
NAT C8133-26D KA 103
NAT C8133-26D KD



Deadbolt

Cylinder Length: 1 1/8"

NAT C8135-26D KD
NAT C8135-26D KA 915

Gang Lock

Fort locking drawers in desk pedestals and other multiple drawer applications. Requires 7/8" diameter hole for cylinder and dado for bar, measuring 7/8" x 1/8" deep on inside of panel. Key removable in locked and unlocked positions. Turning the key locks all drawers simultaneously (drawers must be in closed position) Bar moves studs into notch in drawer or slide, thus preventing drawer movement. Uses D8785 keyblank.



D8090

NAT D8090-3 KA C415A
NAT D8090-3 KD
NAT D8090-4G KA C415A
NAT D8090-4G KD
NAT D8090-14A KA C415A
NAT D8090-14A KD


For current pricing, call your Fairway Representative today!

Dallas 800.776.3247 • Houston 800.767.3247 • Austin 877.309.6300 • Nashville 800.815.3247

CABINET LOCKS

NATIONAL CABINET LOCK®

CAM LOCKS



**FLUSH
mounting**



**LIPPED
Mounting**

**Brass Construction
Case Quantity: 10
Key Blank: D4291**

C8102 1-1/16"	C8103 1-3/16"	C8106 1-7/16"	C8108 1-3/4"	C8109 1-3/4"
Flush	Lipped	Flush	Flush	Lipped
Finish 4 (Satin Brass):				
KA	KA	KA	KA	KA
KD	KD	KD	KD	KD
Finish 26D (Dull Chrome):				
KA	KA	KA	KA	KA
KD	KD	KD	KD	KD


C8051 7/16"	C8052 5/8"	C8073 1-3/16"
14A-Bright Nickel	14A-Bright Nickel	14A-Bright Nickel
KA	KA	KA
KD	KD	KD

C8054 15/16"	C8055 1-7/16"
14A- KA KD	14A- KA KD
	3- KA KD

CAM LOCKS

Die Cast Construction
 • Case Quantity 25
 • Key Blank: D8785
 • Lipped or Flush


C8073	3-Bright Brass KA KD
	4G-Antique Brass KA KD




Cooler Locking Handle

Mounts on edge of freezer doors. Reversible.

NAT C8765-26



C8763



C8762

C8762 and C8763 plugs are for earlier models of C8765 locking handles (59-1105) C8764 fits current C8765 Refrigerators & Cooler Handles (screw mounted). All use D8780 key blank. Disk tumbler.

NAT C8762
NAT C8763
NAT C8764

C8060 Cam Lock

Operation - Dual function, stop washers provide for either 90° or 180° cam turn. Key removable in both locked and unlocked positions. Cylinder length: 1-3/4". Supplied with two keys (D8785), trim washer, spur washer for wood, mounting nut, two stop washers and two cams.

Finish	Keying
3	KA
3	KD
14A	KA
14A	KD


Die Cast Construction. Case Quantity: 10;
Key Blank: D4291; 26D Dull Chrome

C8111 15/16"
NAT C8111 KA
NAT C8111 KD

HANDLE LOCKS

Finish: 26D-Dull Chrome
Key Blank: D8785
Case Quantity: 10

C8747
1" Spindle, 5/16" sq. w/ 8-32 tapped end hole. KA, KD




C8749
4" Spindle, 5/16" sq. KA, KD



C8754
3" Threaded Spindle. KA, KD



C8759
3" Threaded Spindle. KA, KD




C8755
3" Threaded Spindle. Non locking handle.




SRS SALES CO.

FILING CABINET LOCK KITS




2151 SIGNORE STYLE

SRS 2151KA	Signore Kit Substitute
SRS 2151KD	Signore Kit Substitute




2176 GLOBAL LK26 STYLE

SRS 2176KA	Global LK26 Substitute
SRS 2176KD	Global LK26 Substitute




2185 HON® F24 & F28 STYLE

SRS 2185KA	HON Filing Cabinet Lock F28
SRS 2185KD	HON Filing Cabinet Lock F28




2205 Easy Mount T-Handle

SRS 2205	T-handle with easy-mount base
----------	-------------------------------




2190 HON® F26 STYLE

SRS 2190KA	HON Filing Cabinet Lock F26
SRS 2190KD	HON Filing Cabinet Lock F26



2194 ANDERSON HICKEY 15400 STYLE

SRS 2194KA	Anderson Hickey Cabinet Lock
SRS 2194KD	Anderson Hickey Cabinet Lock




2197 ANDERSON HICKEY 15500 STYLE


SRS 2197KA	Anderson Hickey Cabinet Lock
SRS 2197KD	Anderson Hickey Cabinet Lock




725 SERIES




721 SERIES



NO78



100DR



I.C. CORE CABINET LOCKS


ITEM#

OLY 721IC-3	Drawer Lock 6/7 Pin IC Core
OLY 721IC-26D	Drawer Lock 6/7 Pin IC Core
OLY 725RDDWVH-26D	1-1/8" IC Rim DBolt Vert

I.C. CORE CABINET LOCKS FEATURE:

- Interchangeable core
- Cabinet door or drawer locks, cam lock, sliding door lock, mail box lock
- Some items field reversible

700 SCHLAGE & LESS CYLINDER



ITEM#

OLY 700SC-26D	Drawer Lock 7/8 6 Pin SCH KwY
---------------	-------------------------------

700 SERIES SCHLAGE & LESS CYLINDER LOCKS FEATURE:

- Schlage "C" keyway or less cylinder door and drawer locks
- Cylinder body chambers Lori replacement plugs #1531
- Pinned for 5, drilled for 6
- 7/8" - 1-1/8" includes 2 spacers per lock

NATIONAL "D4291" KEYWAY LOCKS

ITEM#


OLY NO78-4KA103	Drawer Lock 7/8 Pin Tumb
OLY NO78-4KD	Drawer Lock 7/8 Pin Tumb
OLY NO78-26DKA103	Drawer Lock 7/8 Pin Tumb
OLY NO78-26DKD	Drawer Lock 7/8 Pin Tumb
OLY 100DR-26D	Drawer Lock 7/8 NAT KwY

NATIONAL "D4291" KEYWAY LOCKS FEATURE:

- 4 Pin Standard, 5 Pin Available
- Solid Brass Cylinder
- Barrel Length: 7/8" & 1-3/8"
- Spacers available to fit 3/4" & 1-1/8"

OTHER KEYWAYS AVAILABLE

CCL "R1" KEYWAY LOCKS



ITEM#

OLY 500DR26DKA4T3	Drawer Lock 7/8
-------------------	-----------------

CCL "R1" KEYWAY LOCKS FEATURE:

- 5 Pin Standard
- Solid Brass Cylinder
- Barrel Length: 7/8" & 1-3/8"
- Spacers available to fit 3/4" & 1-1/8"